

**Child Development Supplement:  
2019 Child Reports of Sensitive  
Information File**

**Codebook**

**Number of Variables**

76

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19REL "CHILD RELEASE NUMBER 19" NUM(1.0)**

Release Number for the CDS 2019 Child Data File

Release 2 contains a correction to the codebook for C19B15.

Count	%	Value/Range	Code	Value/Range	Text
-	-		1		Release number 1 - May 2022
1,583	100.00		2		Release number 2 - August 2022

**C19YRID "2019 PSID FAMILY IW (ID) NUMBER" NUM(5.0)**

2019 PSID Main Family Identifier

Count	%	Value/Range	Code	Value/Range	Text
1,583	100.00	1 - 9,614			Interview number

**C19CPSN "2019 INDIVIDUAL SEQUENCE NUMBER" NUM(2.0)**

2019 PSID Sequence Number

Count	%	Value/Range	Code	Value/Range	Text
1,583	100.00	1 - 20			Sequence number of individuals in the PSID family at the time of the 2019 main family interview

**C19J5 "IVR EVER HAD INTERCOURSE 19" NUM(1.0)**

J5. The next questions are about your sexual experiences. Have you ever had sexual intercourse--that is, had sex?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code	Value/Range	Text
199	12.57		1		Yes
885	55.91		5		No
25	1.58		9		DK; NA; refused
474	29.94		0		Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J6 "IVR WHEN FIRST INTERCOURSE - YEAR 19" NUM(4.0)**

J6. In what year and month did you have sexual intercourse for the first time?--YEAR

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
147	9.29	2,000 - 2,020	Year
52	3.28	9,999	DK; NA; refused
1,384	87.43	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not had sexual intercourse (C19J5=5); DK, NA, or RF whether has had sexual intercourse (C19J5=9)

**C19J7 "IVR WHEN FIRST INTERCOURSE - MONTH 19" NUM(2.0)**

J7. Next, enter the number for the month when you had sexual intercourse for the first time, followed by the pound sign. For example, for January enter 1 and for December enter 12, followed by the pound sign.--MONTH

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
26	1.64	1	January
17	1.07	2	February
12	.76	3	March
13	.82	4	April
24	1.52	5	May
16	1.01	6	June
16	1.01	7	July
15	.95	8	August
15	.95	9	September
16	1.01	10	October
12	.76	11	November

Child Development Supplement: 2019 Child Reports of Sensitive Information File

15	.95	12	December
2	.13	99	DK; NA; refused
1,384	87.43	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not had sexual intercourse (C19J5=5); DK, NA, or RF whether has had sexual intercourse (C19J5=9); DK, NA, or RF year first had sexual intercourse (C19J6=9999)

**C19J7B "IVR WHEN FIRST INTERCOURSE - AGE 19" NUM(2.0)**

J7B. About how old were you when you had sexual intercourse for the first time?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
51	3.22	9 - 18	Actual age
1	.06	99	DK, NA, or refused
1,531	96.72	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not had sexual intercourse (C19J5=5); DK, NA, or RF whether has had sexual intercourse (C19J5=9); DK, NA, or RF year first had sexual intercourse (C19J6=9999); DK, NA, or RF month first had sexual intercourse (C19J7=99)

**C19J8 "IVR HAD INTERCOURSE MORE THAN ONCE 19" NUM(1.0)**

J8. Have you had intercourse more than once?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
141	8.91	1	Yes
57	3.60	5	No
1	.06	9	DK; NA; refused
1,384	87.43	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not had sexual intercourse (C19J5=5); DK, NA, or RF whether has had sexual intercourse (C19J5=9)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J9 "IVR NUMBER/TIMES INTERCOURSE - 30DAYS 19" NUM(2.0)**

J9. About how many times have you had sexual intercourse in the past 30 days? Enter the number of times you had sexual intercourse in the past 30 days, followed by the pound sign. If you have not had sexual intercourse in the past 30 days, enter zero followed by the pound sign.

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
93	5.87	1 - 30	Actual number of times
58	3.66	99	DK; NA; refused
1,432	90.46	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not had sexual intercourse (C19J5=5); DK, NA, or RF whether has had sexual intercourse (C19J5=9); has not had sexual intercourse more than once (C19J8=5); NA, DF, or RF whether has had sexual intercourse more than once (C19J8=8 or 9).

**C19J10 "IVR HOW MANY PARTNERS EVER 19" NUM(2.0)**

J10. How many partners have you EVER had intercourse with? This includes any person you had intercourse with, even if it was only once, or if you did not know him or her well. Enter the number of partners you've ever had sexual intercourse with, followed by the pound sign.

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
141	8.91	1 - 19	Actual number of partners
58	3.66	99	DK; NA; refused
1,384	87.43	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not had sexual intercourse (C19J5=5); DK, NA, or RF whether has had sexual intercourse (C19J5=9); has not had sexual intercourse more than once (C19J8=5); NA, DF, or RF whether has had sexual intercourse more than once (C19J8=8 or 9).

**Child Development Supplement: 2019 Child Reports of Sensitive Information File**

**C19J11 "IVR HOW OFTEN USE CONDOM 19" NUM(1.0)**

J11. Thinking of all the times you have had sexual intercourse, about how often have you and your partner used a condom?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
37	2.34	1	None of the time
22	1.39	2	Some of the time
13	.82	3	Half of the time
22	1.39	4	Most of the time
47	2.97	5	All of the time
58	3.66	9	DK; NA; refused
1,384	87.43	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not had sexual intercourse (C19J5=5); DK, NA, or RF whether has had sexual intercourse (C19J5=9); has not had sexual intercourse more than once (C19J8=5); NA, DF, or RF whether has had sexual intercourse more than once (C19J8=8 or 9).

**C19J12 "IVR EVER TAKE BIRTH CONTROL 19" NUM(1.0)**

J12. Have you ever taken birth control pills regularly for at least one monthly cycle?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
60	3.79	1	Yes
496	31.33	5	No
26	1.64	9	DK; NA; refused
1,001	63.23	0	Inap.: child is male; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J13A "IVR WHEN START BIRTH CONTROL - YEAR 19" NUM(4.0)**

J13A. In what year and month did you start taking birth control pills for the first time? First enter the four-digit year when you started taking birth control pills for the first time, followed by the pound sign.--YEAR

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
54	3.41	2,002 - 2,020	Actual year
28	1.77	9,999	DK; NA; refused
1,501	94.82	0	Inap.: child is male; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not taken birth control pills regularly for at least one monthly cycle (C19J12=5); DK, NA, or RF whether taken birth control pills regularly for at least one monthly cycle (C19J12=9)

**C19J13B "IVR WHEN START BIRTH CONTROL - MONTH 19" NUM(2.0)**

J13B. Next, enter the number for the month when you started taking birth control pills for the first time, followed by the pound sign.--MONTH

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
5	.32	1	January
7	.44	2	February
3	.19	3	March
3	.19	4	April
6	.38	5	May
9	.57	6	June
4	.25	7	July
3	.19	8	August
4	.25	9	September
2	.13	10	October

Child Development Supplement: 2019 Child Reports of Sensitive Information File

4	.25	11	November
4	.25	12	December
28	1.77	99	DK; NA; refused
1,501	94.82	0	Inap.: child is male; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not taken birth control pills regularly for at least one monthly cycle (C19J12=5); DK, NA, or RF whether taken birth control pills regularly for at least one monthly cycle (C19J12=9); DK, NA, or RF year first started taking birth control pills (C19J3A=9999)

**C19J13C "IVR WHEN START BIRTH CONTROL - AGE 19" NUM(2.0)**

J13C. About how old were you when you had your first started taking birth control pills?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
6	.38	9 - 18	Actual age
22	1.39	99	DK; NA; refused
1,555	98.23	0	Inap.: child is male; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not taken birth control pills regularly for at least one monthly cycle (C19J12=5); DK, NA, or RF whether taken birth control pills regularly for at least one monthly cycle (C19J12=9); year and month first started taking birth control pills reported (C19J13B=1995-2015 and C14J13b=1-12)

**C19J14 "IVR EVER SEE DOCTOR RE STD/HIV 19" NUM(1.0)**

J14. Have you ever gone to see a doctor or nurse because you thought you might have a sexually transmitted disease or HIV?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
40	2.53	1	Yes



Child Development Supplement: 2019 Child Reports of Sensitive Information File

1,043	65.89	5	No
26	1.64	9	DK; NA; refused
474	29.94	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J14A "IVR SEE DOCTOR FOR WHICH STD/HIV 19" NUM(1.0)**

J14A. Did you see a doctor or nurse for a sexually transmitted disease, for HIV, or for both a sexually transmitted disease and HIV?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
27	1.71	1	Only for a sexually transmitted disease
3	.19	2	Only for HIV
10	.63	3	For both a sexually transmitted disease and HIV
-	-	9	DK; NA; refused
1,543	97.47	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C19J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C19J14=9)

**C19J15 "IVR EVER BEEN TESTED FOR STD/HIV 19" NUM(1.0)**

J15. Have you ever been tested for any sexually transmitted diseases or HIV?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
22	1.39	1	Yes
18	1.14	5	No
-	-	9	DK; NA; refused

Child Development Supplement: 2019 Child Reports of Sensitive Information File

1,543 97.47 0 Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C19J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C19J14=9)

**C19J15A "IVR TESTED FOR WHICH STD/HIV 19"**

**NUM(1.0)**

J15A. Have you been tested for a sexually transmitted disease, for HIV, or for both a sexually transmitted disease and HIV?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
14	.88	1	Only for a sexually transmitted disease
1	.06	2	Only for HIV
7	.44	3	For both a sexually transmitted disease and HIV
-	-	9	DK; NA; refused
1,561	98.61	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C19J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C19J14=9); has not been tested for any sexually transmitted diseases or HIV (C19J15=5); DK, NA, or RF whether been tested for any sexually transmitted diseases or HIV (C19J15=9)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J16 "IVR EVER TOLD BY DR/NURSE STD/HIV 19" NUM(1.0)**

J16. Have you ever been told by a doctor or nurse that you had a sexually transmitted disease or HIV?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
9	.57	1	Yes
30	1.90	5	No
1	.06	9	DK; NA; refused
1,543	97.47	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C19J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C19J14=9); has not been tested for any sexually transmitted diseases or HIV (C19J15=5); DK, NA, or RF whether been tested for any sexually transmitted diseases or HIV (C19J15=9)

**C19J16A "IVR TOLD BY DR/NURSE WHICH STD/HIV 19" NUM(1.0)**

J16A. Have you been told by a doctor or nurse that you had a sexually transmitted disease, HIV, or both a sexually transmitted disease and HIV?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
8	.51	1	Only for a sexually transmitted disease
-	-	2	Only for HIV
1	.06	3	For both a sexually transmitted disease and HIV
-	-	9	DK; NA; refused

Child Development Supplement: 2019 Child Reports of Sensitive Information File

1,574 99.43

0 Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C19J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C19J14=9); has not been tested for any sexually transmitted diseases or HIV (C19J15=5); DK, NA, or RF whether been tested for any sexually transmitted diseases or HIV (C19J15=9); has never been told by a doctor or nurse that she/he had a sexually transmitted disease or HIV (C19J16=5); DK, NA, or RF whether ever has been told by a doctor or nurse that she/he had a sexually transmitted disease or HIV (C19J16=9)

**C19J17 "IVR EVER BEEN/CAUSED PREGNANCY 19" NUM(1.0)**

J17. The next questions are about pregnancy.

(R IS FEMALE: Some teenage girls have been pregnant. Have you ever been pregnant? Be sure to include if you are currently pregnant and any past pregnancy that ended in abortion, stillbirth, miscarriage, or a live birth after which the baby died./R IS MALE: Some teenage boys have partners or girlfriends who get pregnant. Have you ever gotten a girl pregnant? Be sure to include current pregnancy and any past pregnancy that ended in abortion, stillbirth, miscarriage, or a live birth after which the baby died.)

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
17	1.07	1	Yes
1,066	67.34	5	No
26	1.64	9	DK; NA; refused
474	29.94	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J18 "IVR NUMBER OF PREGNANCIES 19" NUM(1.0)**

J18. (Female: How many times have you been pregnant?/Male: How many times have you gotten a girl pregnant?). Enter the number of times you have (been pregnant/gotten a girl pregnant), followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
17	1.07	1 - 7	Number of pregnancies
-	-	9	DK; NA; refused
1,566	98.93	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never been pregnant/gotten a girl pregnant (C19J17=5); DK, NA, or RF whether ever been pregnant/gotten a girl pregnant (C19J17=9)

**C19J19 "IVR HOW DID MOST RECENT PREGNANCY END 19" NUM(1.0)**

J19. Thinking of the most recent pregnancy, how did the pregnancy end?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
3	.19	1	It has not ended or (you are/the girl is) still pregnant
5	.32	2	It ended in a live birth
1	.06	3	It ended in a stillbirth
6	.38	4	It ended in a miscarriage
2	.13	5	It ended in an abortion
-	-	9	DK; NA; refused
1,566	98.93	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never been pregnant/gotten a girl pregnant (C19J17=5); DK, NA, or RF whether ever been pregnant/gotten a girl pregnant (C19J17=9)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J21 "IVR CHILD PLACED FOR ADOPTION 19" NUM(1.0)**

J21. Was the child placed for legal adoption?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	Yes
5	.32	5	No
-	-	9	DK; NA; refused
1,578	99.68	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never been pregnant/gotten a girl pregnant (C19J17=5); DK, NA, or RF whether ever been pregnant/gotten a girl pregnant (C19J17=9); pregnancy has not ended, ended in a stillbirth, ended in a miscarriage, or ended in an abortion (C19J19=1, 3, 4, or 5)

**C19J21A "IVR SEXUAL IDENTITY 19" NUM(1.0)**

J21A. Which of the following best describes how you think of yourself?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
23	1.45	1	Gay or lesbian
940	59.38	2	Straight, that is, not gay or lesbian
98	6.19	3	Bisexual
22	1.39	4	Something else
26	1.64	9	DK; NA; refused
474	29.94	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J21B "IVR GENDER IDENTITY 19"**

**NUM(1.0)**

J21B. What is your current gender identity?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
511	32.28	1	Male
560	35.38	2	Female
1	.06	3	Transgender male-to-female
1	.06	4	Transgender female-to-male
9	.57	5	Something else, such as nonbinary
27	1.71	9	DK; NA; refused
474	29.94	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J22 "IVR NUMBER TIMES OUT LATE - 6MONTHS 19"**

**NUM(2.0)**

J22. In the last 6 months, about how many times have you stayed out later than your parents said you should? Enter the number of times in the last 6 months you stayed out later than your parents said you should, followed by the pound sign. If you haven't stayed out later than your parents said you should in the past 6 months, enter zero followed by the pound sign.

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
419	26.47	1 - 97	Actual number of times
27	1.71	99	DK; NA; refused
1,137	71.83	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J23 "IVR NMBR TIMES HURT SOMEONE - 6MONTHS 19" NUM(2.0)**

J23. In the last 6 months, about how many times have you hurt someone badly enough that he or she needed to see a doctor or needed to receive medical care? Enter the number of times (in the last 6 months) you hurt someone badly, followed by the pound sign. (If you haven't hurt someone badly in the past 6 months, enter zero followed by the pound sign.)

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
183	11.56	1 - 97	Actual number of times
26	1.64	99	DK; NA; refused
1,374	86.80	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J24 "IVR NMBR TIMES WEAPON/FIGHT - 6MONTHS 19" NUM(2.0)**

J24. In the last 6 months, about how many times have you used a weapon in a fight? (Enter the number of times in the last 6 months you used a weapon in a fight, followed by the pound sign.) (If you haven't used a weapon in a fight in the past 6 months, enter zero followed by the pound sign.)

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
117	7.39	1 - 97	Actual number of times
26	1.64	99	DK; NA; refused
1,440	90.97	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)



Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J25 "IVR NMBR TIMES LIED/PARENTS - 6MONTHS 19" NUM(2.0)**

J25. In the last 6 months, about how many times have you lied to your parents about something important? (Enter the number of times in the last 6 months you lied to your parents about something important, followed by the pound sign.) (If you haven't lied to your parents about something important in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
464	29.31	1 - 97	Actual number of times
26	1.64	99	DK; NA; refused
1,093	69.05	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J26 "IVR NUMBER TIMES SHOPLIFT - 6MONTHS 19" NUM(2.0)**

J26. In the last 6 months, about how many times have you taken something from a store without paying for it? (Enter the number of times in the last 6 months you have taken something from a store without paying for it, followed by the pound sign.) (If you haven't taken anything from a store without paying for it in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
183	11.56	1 - 97	Actual number of times
26	1.64	99	DK; NA; refused
1,374	86.80	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J27 "IVR NMBR TIMES OUT AT NIGHT - 6MONTHS 19" NUM(2.0)**

J27. In the last 6 months, about how many times have you stayed out at night without permission? (Enter the number of times in the last 6 months you have stayed out at night without permission, followed by the pound sign.) (If you haven't stayed out at night without permission in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
236	14.91	1 - 97	Actual number of times
26	1.64	99	DK; NA; refused
1,321	83.45	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J28 "IVR NMBR TIMES STOP/POLICE - 6MONTHS 19" NUM(2.0)**

J28. In the last 6 months, about how many times have you been stopped and questioned by the police? (Enter the number of times in the last 6 months you have been stopped and questioned by the police, followed by the pound sign.) (If you haven't been stopped and questioned by the police in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
179	11.31	1 - 97	Actual number of times
26	1.64	99	DK; NA; refused
1,378	87.05	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J29 "IVR NUMBER TIMES ARRESTED - 6MONTHS 19" NUM(2.0)**

J29. In the last 6 months, about how many times have you been arrested by the police? (Enter the number of times in the last 6 months you have been arrested by the police, followed by the pound sign.) (If you haven't been arrested by the police in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
100	6.32	1 - 97	Actual number of times
26	1.64	99	DK; NA; refused
1,457	92.04	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J30 "IVR NMBR TIMES WEAPON/SCHOOL - 6MNTHS 19" NUM(2.0)**

J30. In the last 6 months, about how many times have you carried a weapon at school? (Enter the number of times in the last 6 months you have carried a weapon at school, followed by the pound sign.) (If you haven't carried a weapon at school in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
95	6.00	1 - 97	Actual number of times
27	1.71	99	DK; NA; refused
1,461	92.29	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J31 "IVR NMBR TIMES ALCL/DRGS/SCHL - 6MNTH 19" NUM(2.0)**

J31. In the last 6 months, about how many times have you brought alcohol or drugs to school? (Enter the number of times in the last 6 months you have brought alcohol or drugs to school, followed by the pound sign.) (If you haven't brought alcohol or drugs to school in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
105	6.63	1 - 97	Actual number of times
28	1.77	99	DK; NA; refused
1,450	91.60	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J32 "IVR NMBR TIMES DAMAGE SCHL - 6MONTHS 19" NUM(2.0)**

J32. In the last 6 months, about how many times have you damaged school property on purpose? (Enter the number of times in the last 6 months you have damaged school property on purpose, followed by the pound sign.) (If you haven't damaged school property on purpose in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
140	8.84	1 - 97	Actual number of times
28	1.77	99	DK; NA; refused
1,415	89.39	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J33 "IVR NMBR TIMES PARENTS/SCHL - 6MONTHS 19" NUM(2.0)**

J33. In the last 6 months, about how many times have your parents had to come to your school because of something you did wrong? (Enter the number of times in the last 6 months your parents had to come to your school because of something you did wrong, followed by the pound sign.) (If your parents haven't had to come to your school because of something you did wrong in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
225	14.21	1 - 97	Actual number of times
28	1.77	99	DK; NA; refused
1,330	84.02	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J34 "IVR NMBR TIMES SKIP SCHOOL - 6MONTHS 19" NUM(2.0)**

J34. In the last 6 months, about how many times have you skipped a day of school without permission? (Enter the number of times in the last 6 months you skipped a day of school without permission, followed by the pound sign.) (If you haven't skipped a day of school without permission in the past 6 months, enter zero followed by the pound sign.)

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
175	11.05	1 - 97	Actual number of times
28	1.77	99	DK; NA; refused
1,380	87.18	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J35 "IVR EVER TRIED CIGARETTES 19" NUM(1.0)**

J35. Some people your age have experimented with cigarette smoking, drinking alcohol and drug use. Have you ever tried cigarette smoking, even just 1 or 2 puffs?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
109	6.89	1	Yes		
965	60.96	5	No		
35	2.21	9	DK; NA; refused		
474	29.94	0	Inap.:	child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)	

**C19J36 "IVR EVER SMOKED CIGARETTES REGULARLY 19" NUM(1.0)**

J36. Have you ever smoked cigarettes regularly, that is, at least 1 cigarette everyday for 30 days?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
17	1.07	1	Yes		
92	5.81	5	No		
-	-	9	DK; NA; refused		
1,474	93.11	0	Inap.:	child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not tried cigarette smoking (C19J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C19J35=9)	

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J37 "IVR HOW OLD SMOKE REGULARLY 19" NUM(2.0)**

J37. How old were you when you first started smoking cigarettes regularly (at least 1 cigarette every day for 30 days)? Enter your age when you first started smoking cigarettes regularly, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
17	1.07	8 - 18	Actual age
-	-	99	DK; NA; refused
1,566	98.93	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not tried cigarette smoking (C19J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C19J35=9); has not smoked cigarettes regularly (C19J36=5); DK, NA, or RF whether smoked cigarettes regularly (C19J36=9)

**C19J38 "IVR HOW MANY DAYS SMOKE - 30DAYS 19" NUM(2.0)**

J38. During the past 30 days, on how many days did you smoke cigarettes? Enter the number of days you smoked cigarettes in the past 30 days, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
8	.51	1 - 30	Actual number of days
-	-	99	DK; NA; refused
1,575	99.49	0	Inap.: no days in the past 30 days; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not tried cigarette smoking (C19J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C19J35=9); has not smoked cigarettes regularly (C19J36=5); DK, NA, or RF whether smoked cigarettes regularly (C19J36=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J39 "IVR TRIED TO QUIT SMOKING - 6MONTHS 19" NUM(1.0)**

J39. During the past 6 months, have you tried to quit smoking cigarettes?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
13	.82	1	1	Yes	
4	.25	5	5	No	
-	-	9	9	DK; NA; refused	
1,566	98.93	0	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not tried cigarette smoking (C19J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C19J35=9); has not smoked cigarettes regularly (C19J36=5); DK, NA, or RF whether smoked cigarettes regularly (C19J36=9)	

**C19J40 "IVR HOW MANY FRIENDS SMOKE - 3FRIENDS 19" NUM(1.0)**

J40. Of your 3 best friends, how many smoke at least 1 cigarette a day? Enter the number of your (3 best) friends who smoke at least 1 cigarette a day, followed by the pound sign.

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
81	5.12	1 - 3	1 - 3	Actual number of friends	
31	1.96	9	9	DK; NA; refused	
1,471	92.92	0	0	Inap.: none; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)	



Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J41 "IVR EVER TRIED CHEWING TOBACCO 19" NUM(1.0)**

J41. Have you ever tried chewing tobacco, such as Redman, Levi Garrett, or Beechnut, snuff, such as Skoal, Skoal Bandits, or Copenhagen, or snus, such as Camel Snus, Marlboro Snus, or Skoal Snus?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
27	1.71	1	Yes
1,047	66.14	5	No
35	2.21	9	DK; NA; refused
474	29.94	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J42 "IVR HOW MANY DAYS CHEW TOBAC - 30DAYS 19" NUM(2.0)**

J42. During the past 30 days, on how many days did you use chewing tobacco, snuff, or snus? Enter the number of days in past 30 days you used chewing tobacco (such as Skoal, Skoal Bandits, or Copenhagen) or snus (such as Camel Snus, Marlboro Snus, or Skoal Snus), followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
13	.82	1 - 30	Actual number of days
-	-	99	DK; NA; refused
1,570	99.18	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never tried chewing tobacco, snuff, or snus (C19J41=5); DK, NA, or RF whether ever tried chewing tobacco, snuff, or snus (C19J41=9)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J42A "IVR EVER TRIED E-CIGARETTES 19" NUM(1.0)**

J42A. To "vape" is to use a device such as a vape-pen, an e-cigarette, or e-vaporizer to inhale a mist or vapor into the lungs. Brand names for vaping devices include JUUL, Vuse, and MarkTen. Have you ever vaped?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
165	10.42	1	Yes		
911	57.55	5	No		
33	2.08	9	DK; NA; refused		
474	29.94	0	Inap.:	child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)	

**C19J42B "IVR HOW MANY DAYS E-CIGS- 30DAYS 19" NUM(2.0)**

J42B. During the past 30 days, on how many days did you vape? Enter the number of days in the past 30 days you vaped [READING 2+: using a device such as a JUUL or Vuse], followed by the hash sign. If you did not vape in the past 30 days, enter zero followed by the hash sign.

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
68	4.30	1 - 30	Actual number of days		
-	-	99	DK; NA; or refused		
1,515	95.70	0	Inap.:	no times in the past 30 days; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never used electronic cigarettes or e-cigarettes (C19J42A=5); DK, NA, or RF whether ever used electronic cigarettes or e-cigarettes (C19J42A=9)	

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J42B1 "IVR HOW MANY DAYS VAPE NICOTINE 19" NUM(2.0)**

J42B1. During the past 30 days, on how many days did you vape nicotine? Enter the number of days in the past 30 days you vaped nicotine, followed by the pound sign. If you did not vape nicotine in the past 30 days, enter zero followed by the hash sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
45	2.84	1 - 30	Actual number of days
-	-	99	DK; NA; or refused
1,538	97.16	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never used electronic cigarettes or e-cigarettes (C19J42A=5); DK, NA, or RF whether ever used electronic cigarettes or e-cigarettes (C19J42A=9); did not vape in the past 30 days (C19J42B=0); DK, NA, or RF whether vaped in the past 30 days (C19J42B=9)

**C19J42B2 "IVR HOW MANY DAYS VAPE MAJIJUANA 19" NUM(2.0)**

J42B2. During the past 30 days, on how many days did you vape marijuana? Enter the number of days in the past 30 days you vaped marijuana, followed by the pound sign. If you did not vape marijuana in the past 30 days, enter zero followed by the hash sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
16	1.01	1 - 30	Actual number of days
1	.06	99	DK; NA; or refused
1,566	98.93	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has never used electronic cigarettes or e-cigarettes (C19J42A=5); DK, NA, or RF whether ever used electronic cigarettes or e-cigarettes (C19J42A=9); did not vape in the past 30 days (C19J42B=0); DK, NA, or RF whether vaped in the past 30 days (C19J42B=9)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J43 "IVR EVER HAD ALCOHOL 19" NUM(1.0)**

J43. Have you ever had a drink of alcohol, including beer, wine, or liquor - not just a sip or a taste of someone else's drink?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
260	16.42	1	Yes
816	51.55	5	No
33	2.08	9	DK; NA; refused
474	29.94	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J44 "IVR EVER DRINK ALCOHOL W/O ADULTS 19" NUM(1.0)**

J44. Do you ever drink alcohol, including beer, wine or liquor when you are not with your parents or other adults in your family?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
132	8.34	1	Yes
128	8.09	5	No
-	-	9	DK; NA; refused
1,323	83.58	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); never had a drink of alcohol (C19J43=5); DK, NA, or RF whether ever had a drink of alcohol (C19G43=9)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J45 "IVR HOW OLD DRINK ALCOHOL W/O ADULTS 19" NUM(2.0)**

J45. Think about the first time that you had an alcoholic drink when you were not with your parents or other adults in your family. How old were you then? Enter your age when you first had an alcoholic drink without your parents or other adults, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
132	8.34	8 - 18	Actual age
-	-	99	DK; NA; refused
1,451	91.66	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); never had a drink of alcohol (C19J43=5); DK, NA, or RF whether ever had a drink of alcohol (C19G43=9); never drinks alcohol when she/he is not with parents or other adults in family (C19J44=5); DK, NA, or RF whether drinks alcohol when she/he is not with parents or other adults in family (C19J44=9)

**C19J46 "IVR HOW OFTEN DRINK ALCHOL - PAST YR 19" NUM(1.0)**

J46. During the past year, how often did you drink alcohol?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
13	.82	1	Three or more days a week
11	.69	2	1 to 3 days a week
19	1.20	3	2 or 3 days a month
29	1.83	4	About once a month
135	8.53	5	A few days in the past year
53	3.35	6	Never in the past year
-	-	9	DK; NA; refused

Child Development Supplement: 2019 Child Reports of Sensitive Information File

1,323 83.58 0 Inap.: no times in the past year; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); never had a drink of alcohol (C19J43=5); DK, NA, or RF whether ever had a drink of alcohol (C19G43=9)

**C19J47 "IVR HOW MNY DRINKS USU HAVE - PAST YR 19" NUM(2.0)**

J47. Think of all the times you have had a drink during the past year. A "drink" is a glass of wine, a can of beer, a bottle of a flavored alcoholic beverage like Smirnoff Ice or Mike's Hard Lemonade, a shot glass of liquor, or a mixed drink. In the past year, how many drinks did you usually have each time you had a drink? Enter the number of drinks you had, each time you had a drink, during the past year, followed by the pound sign.

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
207	13.08	1 - 50	Actual number of drinks
-	-	99	DK; NA; refused
1,376	86.92	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); never had a drink of alcohol (C19J43=5); DK, NA, or RF whether ever had a drink of alcohol (C19G43=9); has not drank alcohol in the past year (C19J46=0); DK, NA, or RF whether drank alcohol in the past year (C19J46=9)

**C19J49 "IVR HOW OFTEN 5+ DRINKS - PAST YR 19" NUM(1.0)**

J49. In the past year, on how many days did you drink five or more drinks in a row?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
9	.57	1	Three or more days a week
5	.32	2	1 to 3 days a week
8	.51	3	2 or 3 days a month
19	1.20	4	About once a month
72	4.55	5	A few days in the past year
94	5.94	6	Never in the past year

Child Development Supplement: 2019 Child Reports of Sensitive Information File

-	-	9	DK; NA; refused
1,376	86.92	0	Inap.: no times in the past year; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); never had a drink of alcohol (C19J43=5); DK, NA, or RF whether ever had a drink of alcohol (C19G43=9); has not drank alcohol in the past year (C19J46=0); DK, NA, or RF whether drank alcohol in the past year (C19J46=9); has not gotten drunk or "very, very high" on alcohol in the past year (C19J48=5); DK, NA, or RF whether has gotten drunk or "very, very high" on alcohol in the past year (C19J48=9)

**C19J50 "IVR HOW OFTEN 5+ DRINKS - 30DAYS 19" NUM(2.0)**  
 J50. In the past 30 days, how often did you drink five or more drinks in a row?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
49	3.10	1 - 30	Number of times
-	-	99	DK; NA; refused
1,534	96.90	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); never had a drink of alcohol (C19J43=5); DK, NA, or RF whether ever had a drink of alcohol (C19G43=9); has not drank alcohol in the past year (C19J46=0); DK, NA, or RF whether drank alcohol in the past year (C19J46=9); has not gotten drunk or "very, very high" on alcohol in the past year (C19J48=5); DK, NA, or RF whether has gotten drunk or "very, very high" on alcohol in the past year (C19J48=9); has not drank five or more drinks in a row in the past year (C19J49=5); DK, NA, or RF whether drank five or more drinks in a row in the past year (C19J49=9)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J51 "IVR WHAT USUALLY DRINK 19" NUM(1.0)**

J51. Which do you drink most often--beer, wine, flavored alcoholic beverages (like Smirnoff Ice or Mike's Hard Lemonade), straight liquor, mixed drinks or whatever is available?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
29	1.83	1	Beer
21	1.33	2	Wine
73	4.61	3	Flavored alcoholic beverages
23	1.45	4	Straight liquor
21	1.33	5	Mixed drinks
38	2.40	6	Whatever is available
2	.13	9	DK; NA; refused
1,376	86.92	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); never had a drink of alcohol (C19J43=5); DK, NA, or RF whether ever had a drink of alcohol (C19G43=9); has not drank alcohol in the past year (C19J46=0); DK, NA, or RF whether drank alcohol in the past year (C19J46=9)

**C19J52 "IVR HOW MANY FRIENDS DRINK - 3FRIENDS 19" NUM(1.0)**

J52. Of your 3 best friends, how many drink alcohol at least once a month? Enter the number of your (3 best) friends who drink alcohol at least once a month, followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
230	14.53	1 - 3	Actual number of friends
34	2.15	9	DK; NA; refused
1,319	83.32	0	Inap.: none; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)



Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J53 "IVR HOW MNY TIMES DRINK/DRIVE - 6MNTH 19" NUM(2.0)**

J53. How many times in the last 6 months did you drive when you were drunk or high on drugs? Enter the number of times in the last 6 months you drove when you were drunk or high on drugs, followed by the pound sign. If you didn't drive when you were drunk or high on drugs in the past 6 months, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
25	1.58	1 - 97	Actual number of times
32	2.02	99	DK; NA; refused
1,526	96.40	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

**C19J54 "IVR HOW MNY TIMES RIDE/DRINK - 6MNTHS 19" NUM(2.0)**

J54. How many times in the last 6 months did you ride with a driver who had too much to drink or was high on drugs? Enter the number of times in the last 6 months you rode with a driver who was drunk or high on drugs, followed by the pound sign. If in the past 6 months you didn't ride with a driver who was drunk or high on drugs, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
79	4.99	1 - 97	Actual number of times
35	2.21	99	DK; NA; refused
1,469	92.80	0	Inap.: no times in the last 6 months; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J55 "IVR ALCOHOL AVAILABLE AT HOME 19" NUM(1.0)**

J55. Is alcohol easily available to you in your home?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
210	13.27		1	Yes	
859	54.26		5	No	
40	2.53		9	DK; NA; refused	
474	29.94		0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)	

**C19J56 "IVR EVER TRIED MARIJUANA 19" NUM(1.0)**

J56. Have you ever tried marijuana?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
142	8.97		1	Yes	
932	58.88		5	No	
35	2.21		9	DK; NA; refused	
474	29.94		0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)	

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J57 "IVR HOW OLD TRIED MARIJUANA 19" NUM(2.0)**

J57. How old were you when you tried marijuana for the first time?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
142	8.97	8 - 18			Actual age
-	-		99		DK; NA; refused
1,441	91.03		0		Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); never tried marijuana (C19J56=5); DK, NA, or RF whether ever tried marijuana (C19J56=9)

**C19J58 "IVR HOW MNY TIMES MARIJUANA - PAST YR 19" NUM(3.0)**

J58. Over the past year, how many times did you use marijuana?

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
110	6.95	1 - 365			Actual number of times
1	.06		999		DK; NA; refused
1,472	92.99		0		Inap.: no times in the past year; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); never tried marijuana (C19J56=5); DK, NA, or RF whether ever tried marijuana (C19J56=9)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J59 "IVR HOW MANY TIMES MARIJUANA - 30DAYS 19" NUM(2.0)**

J59. During the past 30 days, how many times did you use marijuana? Enter the number of times in the past year that you used marijuana, followed by the pound sign. If you didn't use marijuana in the past year, enter zero followed by the pound sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
54	3.41	1 - 30	Actual number of times
1	.06	99	DK; NA; refused
1,528	96.53	0	Inap.: no times in the past 30 days; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); never tried marijuana (C19J56=5); DK, NA, or RF whether ever tried marijuana (C19J56=9); did not use marijuana in the past year (C19J58=0); DK, NA, or RF whether used marijuana in the past year (C19J58=9)

**C19J60 "IVR EVER USED INHALANTS 19" NUM(1.0)**

J60. Have you ever used inhalants to get high? Inhalants include glues, aerosols, and solvents.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
18	1.14	1	Yes
1,055	66.65	5	No
36	2.27	9	DK; NA; refused
474	29.94	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J60A "IVR HOW MNY TIMES INHALANTS - PAST YR 19" NUM(3.0)**

J60A. In the past year, how many times have you used inhalants to get high? Enter the number of times in the past year that you used inhalants (such as glue, aerosols, or solvents), followed by the hash sign. If you didn't use inhalants, (such as glue, aerosols, or solvents) in the past year, enter zero followed by the hash sign.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
9	.57	1 - 365	Actual number of times
-	-	999	DK; NA; refused
1,574	99.43	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not used inhalants (C19J60=5); DK, NA, or RF whether ever used inhalants (C19J60=5)

**C19J61 "IVR EVER USED HALLUCINOGENS 19" NUM(1.0)**

J61. Have you ever used hallucinogens? Hallucinogens include LSD, mescaline, peyote, and shrooms.

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
13	.82	1	Yes
1,060	66.96	5	No
36	2.27	9	DK; NA; refused
474	29.94	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J61A "IVR HOW MNY TIMES HALLUCNGNS - PST YR 19" NUM(2.0)**

J61A. In the past year, how many times did you use hallucinogens? Enter the number of times in the past year that you used hallucinogens (such as LSD, mescaline, peyote, or shrooms), followed by the pound sign. If you didn't used hallucinogens (such as LSD, mescaline, peyote, or shrooms) in the past year, enter zero followed by the pound sign.

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
9	.57	1 - 96	Actual number of times
-	-	97	97 times or more
-	-	99	DK; NA; refused
1,574	99.43	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not used hallucinogens (C19J61=5); DK, NA, or RF whether ever used hallucinogens (C19J61=9)

**C19J63 "IVR EVER USED AMPHETAMINES 19" NUM(1.0)**

J63. Have you ever used amphetamines without a doctor telling you to take them? Amphetamines include Ritalin, Adderall, and Concerta.

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
14	.88	1	Yes
1,059	66.90	5	No
36	2.27	9	DK; NA; refused
474	29.94	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

**C19J63A "IVR HOW MNY TIMES AMPHETAMNE - PST YR 19" NUM(2.0)**

J63A. In the past year, how many times did you use amphetamines without a doctor telling you to take them? Enter the number of times (in the past year that you used amphetamines such as Ritalin, Adderall, or Concerta, without a doctor telling you to take them), followed by the pound sign. In the past year, if you didn't use amphetatimes (such as Ritalin, Adderall, or Concerta, without a doctor telling you to take them), enter zero followed by the pound sign.

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
9	.57	1 - 96	Actual number of times
-	-	97	97 times ore more
-	-	99	DK; NA; refused
1,574	99.43	0	Inap.: no times in the past year; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not used amphetamines without a doctor telling her/him to take them (C19J63=5); DK, NA, or RF whether ever used amphetamines without a doctor telling her/him to take them (C19J63=9)

**C19J64 "IVR EVER USED TRANQUILIZERS 19" NUM(1.0)**

J64. Have you ever used tranquilizers without a doctor telling you to take them? Tranquilizers include Valium, Xanax, and Klonopin.

*Section J was administered by Audio Computer-Assisted Self-Interview.*

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
5	.32	1	Yes
1,068	67.47	5	No
36	2.27	9	DK; NA; refused
474	29.94	0	Inap.: child age 8-11; child age 12-18 who did not do IVR (C19IVR=5)

Child Development Supplement: 2019 Child Reports of Sensitive Information File

C19J64A "IVR HOW MNY TIMES TRANQUILZR - PST YR 19" NUM(2.0)

J64A. In the past year, how many times did you use tranquilizers without a doctor telling you to take them?

Section J was administered by Audio Computer-Assisted Self-Interview.

This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.

Count	%	Value/Range	Code Value/Range Text
5	.32	1 - 96	Actual number of times
-	-	97	97 times or more
-	-	99	DK; NA; refused
1,578	99.68	0	Inap.: no times in the past year; child age 8-11; child age 12-18 who did not do IVR (C19IVR=5); has not used tranquilizers without a doctor telling her/him to take them (C19J64=5); DK, NA, or RF whether ever used tranquilizers without a doctor telling her/himn to take them (C19J64=9)