

**Child Development Supplement:  
2024 Child Reports of Sensitive  
Information File**

**Codebook**

**[doi.org/10.7826/ISR-UM.06.PSID.09.05.1968x](https://doi.org/10.7826/ISR-UM.06.PSID.09.05.1968x)**

**Number of Variables**

113

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24REL "CHILD RELEASE NUMBER 24" NUM(1.0)**

Release Number for the CDS 2024 Child Data File

The DOI for this Dataset is:

[doi.org/10.7826/ISR-UM.06.PSID-DATA.01.02.10.2014-x](https://doi.org/10.7826/ISR-UM.06.PSID-DATA.01.02.10.2014-x)

For more information about this Data DOI please email the help desk at [psidhelp@umich.edu](mailto:psidhelp@umich.edu).

Count	%	Value/Range	Code	Value/Range	Text
1,168	100.00		1		Release number 1 - April 2026

**C24YRID "2023 PSID FAMILY IW (ID) NUMBER" NUM(5.0)**

2023 PSID Main Family Identifier

Count	%	Value/Range	Code	Value/Range	Text
1,168	100.00	1 - 9,189			Interview number

**C24CYP SN "2023 INDIVIDUAL SEQUENCE NUMBER" NUM(2.0)**

2023 PSID Sequence Number

Count	%	Value/Range	Code	Value/Range	Text
1,168	100.00	1 - 20			Sequence number of individuals in the PSID family at the time of the 2023 main family interview

**C24J5 "EVER HAD INTERCOURSE 24" NUM(1.0)**

J5. The next questions are about your sexual experiences. Have you ever had sexual intercourse--that is, had sex?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
198	16.95		1		Yes
928	79.45		5		No
16	1.37		9		DK; NA; refused
26	2.23		0		Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J6 "WHEN FIRST INTERCOURSE - YEAR 24" NUM(4.0)**

J6. In what year and month did you have sexual intercourse for the first time?--YEAR

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
114	9.76	2,015 - 2,024	Year		
12	1.03	9,999	DK; NA; refused		
1,042	89.21	0	Inap.:	child age 12-18 who did not do Section J (C24IVR=5); has not had sexual intercourse (C24J5=5); DK, NA, or RF whether has had sexual intercourse (C24J5=9)	

**C24J7 "WHEN FIRST INTERCOURSE - MONTH 24" NUM(2.0)**

J7. Next, enter the number for the month when you had sexual intercourse for the first time, followed by the pound sign. For example, for January enter 1 and for December enter 12, followed by the pound sign.--MONTH

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
19	1.63	1	January		
8	.68	2	February		
11	.94	3	March		
8	.68	4	April		
7	.60	5	May		
11	.94	6	June		
8	.68	7	July		
5	.43	8	August		
6	.51	9	September		
6	.51	10	October		
4	.34	11	November		
7	.60	12	December		
1	.09	21	Winter		
1	.09	22	Spring		
3	.26	23	Summer		

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1	.09	24	Fall
15	1.28	99	DK; NA; refused
1,047	89.64	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has not had sexual intercourse (C24J5=5); DK, NA, or RF whether has had sexual intercourse (C24J5=9); DK, NA, or RF year first had sexual intercourse (C24J6=9999)

**C24J7B "WHEN FIRST INTERCOURSE - AGE 24" NUM(2.0)**

J7B. About how old were you when you had sexual intercourse for the first time?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
71	6.08	9 - 18	Actual age
8	.68	99	DK; NA; refused
1,089	93.24	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has not had sexual intercourse (C24J5=5); DK, NA, or RF whether has had sexual intercourse (C24J5=9); DK, NA, or RF year first had sexual intercourse (C24J6=9999); DK, NA, or RF month first had sexual intercourse (C24J7=99)

**C24J8 "HAD INTERCOURSE MORE THAN ONCE 24" NUM(1.0)**

J8. Have you had intercourse more than once?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
151	12.93	1	Yes
45	3.85	5	No
1	.09	7	Never had sexual intercourse
1	.09	9	DK; NA; refused
970	83.05	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has not had sexual intercourse (C24J5=5); DK, NA, or RF whether has had sexual intercourse (C24J5=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J9 "NUMBER/TIMES INTERCOURSE - 30DAYS 24" NUM(2.0)**

J9. About how many times have you had sexual intercourse in the past 30 days? Enter the number of times you had sexual intercourse in the past 30 days, followed by the pound sign. If you have not had sexual intercourse in the past 30 days, enter zero followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
91	7.79	1 - 30	Actual number of times
50	4.28	97	None in the past 30 days
10	.86	99	DK; NA; refused
1,017	87.07	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has not had sexual intercourse (C24J5=5); DK, NA, or RF whether has had sexual intercourse (C24J5=9); has not had sexual intercourse more than once (C24J8=5); NA, DF, or RF whether has had sexual intercourse more than once (C24J8=8 or 9).

**C24J10 "HOW MANY PARTNERS EVER 24" NUM(2.0)**

J10. How many partners have you EVER had intercourse with? This includes any person you had intercourse with, even if it was only once, or if you did not know him or her well. Enter the number of partners you've ever had sexual intercourse with, followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
141	12.07	1 - 19	Actual number of partners
10	.86	99	DK; NA; refused
1,017	87.07	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has not had sexual intercourse (C24J5=5); DK, NA, or RF whether has had sexual intercourse (C24J5=9); has not had sexual intercourse more than once (C24J8=5); NA, DF, or RF whether has had sexual intercourse more than once (C24J8=8 or 9).

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J11 "HOW OFTEN USE CONDOM 24"**

**NUM(1.0)**

J11. Thinking of all the times you have had sexual intercourse, about how often have you and your partner used a condom?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
31	2.65	1	None of the time
16	1.37	2	Some of the time
14	1.20	3	Half of the time
22	1.88	4	Most of the time
65	5.57	5	All of the time
3	.26	9	DK; NA; refused
1,017	87.07	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has not had sexual intercourse (C24J5=5); DK, NA, or RF whether has had sexual intercourse (C24J5=9); has not had sexual intercourse more than once (C24J8=5); NA, DF, or RF whether has had sexual intercourse more than once (C24J8=9).

**C24J12 "EVER TAKE BIRTH CONTROL 24"**

**NUM(1.0)**

J12. Have you ever taken birth control pills regularly for at least one monthly cycle?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
78	6.68	1	Yes
497	42.55	5	No
9	.77	9	DK; NA; refused
584	50.00	0	Inap.: child is male; child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J13A "WHEN START BIRTH CONTROL - YEAR 24" NUM(4.0)**

J13A. In what year and month did you start taking birth control pills for the first time? First enter the four-digit year when you started taking birth control pills for the first time, followed by the pound sign.--YEAR

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
42	3.60	2,004 - 2,024	Actual year
4	.34	9,999	DK; NA; refused
1,122	96.06	0	Inap.: child is male; child age 12-18 who did not do Section J (C24IVR=5); has not taken birth control pills regularly for at least one monthly cycle (C24J12=5); DK, NA, or RF whether taken birth control pills regularly for at least one monthly cycle (C24J12=9)

**C24J13B "WHEN START BIRTH CONTROL - MONTH 24" NUM(2.0)**

J13B. Next, enter the number for the month when you started taking birth control pills for the first time, followed by the pound sign.--MONTH

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
6	.51	1	January
6	.51	2	February
5	.43	3	March
2	.17	4	April
-	-	5	May
4	.34	6	June
1	.09	7	July
5	.43	8	August
3	.26	9	September
4	.34	10	October
4	.34	11	November
-	-	12	December
1	.09	21	Winter

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1	.09	22	Spring
-	-	23	Summer
1	.09	24	Fall
3	.26	99	DK; NA; refused
1,122	96.06	0	Inap.: child is male; child age 12-18 who did not do Section J (C24IVR=5); has not taken birth control pills regularly for at least one monthly cycle (C24J12=5); DK, NA, or RF whether taken birth control pills regularly for at least one monthly cycle (C24J12=9); DK, NA, or RF year first started taking birth control pills (C24J3A=9999)

**C24J13C "WHEN START BIRTH CONTROL - AGE 24" NUM(2.0)**

J13C. About how old were you when you had your first started taking birth control pills?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
32	2.74	9 - 18	Actual age
-	-	99	DK; NA; refused
1,136	97.26	0	Inap.: child is male; child age 12-18 who did not do Section J (C24IVR=5); has not taken birth control pills regularly for at least one monthly cycle (C24J12=5); DK, NA, or RF whether taken birth control pills regularly for at least one monthly cycle (C24J12=9); year and month first started taking birth control pills reported (C24J13A=2004-2024 and C24J13B=1-12)

**C24J14 "IVR EVER SEE DOCTOR RE STD/HIV 24" NUM(1.0)**

J14. [IVR ONLY] Have you ever gone to see a doctor or nurse because you thought you might have a sexually transmitted disease or HIV?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
6	.51	1	Yes
228	19.52	5	No
4	.34	9	DK; NA; refused

Child Development Supplement: 2024 Child Reports of Sensitive Information File

930 79.62 0 Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5)

**C24J14A "IVR SEE DOCTOR FOR WHICH STD/HIV 24" NUM(1.0)**

J14A. [IVR ONLY] Did you see a doctor or nurse for a sexually transmitted disease, for HIV, or for both a sexually transmitted disease and HIV?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
5	.43	1	Only for a sexually transmitted disease
-	-	2	Only for HIV
1	.09	3	For both a sexually transmitted disease and HIV
-	-	9	DK; NA; refused
1,162	99.49	0	Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C24J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C24J14=9)

**C24J14W "EVER SEE DOCTOR RE STD/HIV 24" NUM(1.0)**

J14\_W. [WEB ONLY] Have you ever gone to see a doctor or nurse because you thought you might have a sexually transmitted disease or HIV?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
8	.68	1	Yes, a sexually transmitted disease
2	.17	2	Yes, HIV
3	.26	3	Yes, both
883	75.60	4	No, neither
8	.68	9	DK; NA; refused
264	22.60	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J15 "IVR EVER BEEN TESTED FOR STD/HIV 24" NUM(1.0)**

J15. [IVR ONLY] Have you ever been tested for any sexually transmitted diseases or HIV?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
2	.17	1	Yes
4	.34	5	No
-	-	9	DK; NA; refused
1,162	99.49	0	Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C24J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C24J14=9)

**C24J15A "IVR TESTED FOR WHICH STD/HIV 24" NUM(1.0)**

J15A. [IVR ONLY] Have you been tested for a sexually transmitted disease, for HIV, or for both a sexually transmitted disease and HIV?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	Only for a sexually transmitted disease
-	-	2	Only for HIV
2	.17	3	For both a sexually transmitted disease and HIV
-	-	9	DK; NA; refused

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1,166 99.83 0 Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C24J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C24J14=9); has not been tested for any sexually transmitted diseases or HIV (C24J15=5); DK, NA, or RF whether been tested for any sexually transmitted diseases or HIV (C24J15=9)

**C24J15W "EVER BEEN TESTED FOR STD/HIV 24" NUM(1.0)**  
 J15\_W. [WEB ONLY] Have you ever been tested for any sexually transmitted diseases or HIV?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
14	1.20	1	Yes,	a sexually transmitted disease	
5	.43	2	Yes,	HIV	
22	1.88	3	Yes,	both	
853	73.03	4	No,	neither	
10	.86	9	DK;	NA; refused	
264	22.60	0	Inap.:	child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5)	

**C24J16 "IVR EVER TOLD BY DR/NURSE STD/HIV 24" NUM(1.0)**  
 J16. [IVR ONLY] Have you ever been told by a doctor or nurse that you had a sexually transmitted disease or HIV?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
1	.09	1	Yes		
5	.43	5	No		
-	-	9	DK;	NA; refused	

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1,162 99.49 0 Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C24J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C24J14=9); has not been tested for any sexually transmitted diseases or HIV (C24J15=5); DK, NA, or RF whether been tested for any sexually transmitted diseases or HIV (C24J15=9)

**C24J16A "IVR TOLD BY DR/NURSE WHICH STD/HIV 24" NUM(1.0)**

J16A. [IVR ONLY] Have you been told by a doctor or nurse that you had a sexually transmitted disease, HIV, or both a sexually transmitted disease and HIV?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
1	.09		1 Only for a sexually transmitted disease
-	-		2 Only for HIV
-	-		3 For both a sexually transmitted disease and HIV
-	-		9 DK; NA; refused
1,167	99.91		0 Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); has never gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C24J14=5); DK, NA, or RF whether has ever gone to see a doctor or nurse because she/he thought she/he might have a sexually transmitted disease (C24J14=9); has not been tested for any sexually transmitted diseases or HIV (C24J15=5); DK, NA, or RF whether been tested for any sexually transmitted diseases or HIV (C24J15=9); has never been told by a doctor or nurse that she/he had a sexually transmitted disease or HIV (C24J16=5); DK, NA, or RF whether ever has been told by a doctor or nurse that she/he had a sexually transmitted disease or HIV (C24J16=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J16W "EVER TOLD BY DR/NURSE STD/HIV 24"**

**NUM(1.0)**

J16\_W. [WEB ONLY] Have you ever been told by a doctor or nurse that you had a sexually transmitted disease or HIV?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
4	.34	1	Yes, a sexually transmitted disease
2	.17	2	Yes, HIV
2	.17	3	Yes, both
884	75.68	4	No, neither
12	1.03	9	DK; NA; refused
264	22.60	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5)

**C24J17 "EVER BEEN/CAUSED PREGNANCY 24"**

**NUM(1.0)**

J17. The next questions are about pregnancy.

(R IS FEMALE: Some teenage girls have been pregnant. Have you ever been pregnant? Be sure to include if you are currently pregnant and any past pregnancy that ended in abortion, stillbirth, miscarriage, or a live birth after which the baby died./R IS MALE: Some teenage boys have partners or girlfriends who get pregnant. Have you ever gotten a girl pregnant? Be sure to include current pregnancy and any past pregnancy that ended in abortion, stillbirth, miscarriage, or a live birth after which the baby died.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
15	1.28	1	Yes
1,115	95.46	5	No
12	1.03	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J18 "NUMBER OF PREGNANCIES 24" NUM(1.0)**

J18. (Female: How many times have you been pregnant?/Male: How many times have you gotten a girl pregnant?). Enter the number of times you have (been pregnant/gotten a girl pregnant), followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
13	1.11	1 - 7	Number of pregnancies
2	.17	9	DK; NA; refused
1,153	98.72	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has never been pregnant/gotten a girl pregnant (C24J17=5); DK, NA, or RF whether ever been pregnant/gotten a girl pregnant (C24J17=9)

**C24J19 "HOW DID MOST RECENT PREGNANCY END 24" NUM(1.0)**

J19. Thinking of the most recent pregnancy, how did the pregnancy end?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
5	.43	1	It has not ended or (you are/the girl is) still pregnant
1	.09	2	It ended in a live birth
1	.09	3	It ended in a stillbirth
1	.09	4	It ended in a miscarriage
5	.43	5	It ended in an abortion
2	.17	9	DK; NA; refused
1,153	98.72	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has never been pregnant/gotten a girl pregnant (C24J17=5); DK, NA, or RF whether ever been pregnant/gotten a girl pregnant (C24J17=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J21 "CHILD PLACED FOR ADOPTION 24" NUM(1.0)**

J21. Was the child placed for legal adoption?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
1	.09	1	Yes
-	-	5	No
-	-	9	DK; NA; refused
1,167	99.91	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has never been pregnant/gotten a girl pregnant (C24J17=5); DK, NA, or RF whether ever been pregnant/gotten a girl pregnant (C24J17=9); pregnancy has not ended, ended in a stillbirth, ended in a miscarriage, or ended in an abortion (C24J19=1, 3, 4, or 5)

**C24J21A "SEXUAL IDENTITY 24" NUM(1.0)**

J21A. Which of the following best describes how you think of yourself?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
25	2.14	1	Gay or lesbian
952	81.51	2	Straight, that is, not gay or lesbian
104	8.90	3	Bisexual
47	4.02	4	Something else
14	1.20	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J21C "SEX AT BIRTH 24" NUM(1.0)**

J21C. [IVR ONLY] The next questions are about your physical development. If your sex at birth was male, press 1. If your sex at birth was female, press 2.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
556	47.60	1	Male
579	49.57	2	Female
7	.60	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J21D "GENDER IDENTITY 24" NUM(1.0)**

J21D. What is your current gender? Please select only one.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
551	47.17	1	Male
554	47.43	2	Female
10	.86	3	Transgender
21	1.80	4	I use a different term
6	.51	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J22 "NUMBER TIMES OUT LATE - 6MONTHS 24" NUM(2.0)**

J22. In the last 6 months, about how many times have you stayed out later than your parents said you should? Enter the number of times in the last 6 months you stayed out later than your parents said you should, followed by the pound sign. If you haven't stayed out later than your parents said you should in the past 6 months, enter zero followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
362	30.99	1 - 96	Actual number of times
713	61.04	97	Never in the last 6 months
67	5.74	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J23 "NMBR TIMES HURT SOMEONE - 6MONTHS 24" NUM(2.0)**

J23. In the last 6 months, about how many times have you hurt someone badly enough that he or she needed to see a doctor or needed to receive medical care? Enter the number of times (in the last 6 months) you hurt someone badly, followed by the pound sign. (If you haven't hurt someone badly in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
105	8.99	1 - 96	Actual number of times
959	82.11	97	Never in the last 6 months
78	6.68	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J24 "NMBR TIMES WEAPON/FIGHT - 6MONTHS 24" NUM(2.0)**

J24. In the last 6 months, about how many times have you used a weapon in a fight? (Enter the number of times in the last 6 months you used a weapon in a fight, followed by the pound sign.) (If you haven't used a weapon in a fight in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
61	5.22	1 - 96	Actual number of times
999	85.53	97	Never in the last 6 months
82	7.02	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J25 "NMBR TIMES LIED/PARENTS - 6MONTHS 24" NUM(2.0)**

J25. In the last 6 months, about how many times have you lied to your parents about something important? (Enter the number of times in the last 6 months you lied to your parents about something important, followed by the pound sign.) (If you haven't lied to your parents about something important in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
374	32.02	1 - 96	Actual number of times
689	58.99	97	Never in the last 6 months
79	6.76	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J26 "NUMBER TIMES SHOPLIFT - 6MONTHS 24" NUM(2.0)**

J26. In the last 6 months, about how many times have you taken something from a store without paying for it? (Enter the number of times in the last 6 months you have taken something from a store without paying for it, followed by the pound sign.) (If you haven't taken anything from a store without paying for it in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
109	9.33	1 - 96	Actual number of times
947	81.08	97	Never in the last 6 months
86	7.36	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J27 "NMBR TIMES OUT AT NIGHT - 6MONTHS 24" NUM(2.0)**

J27. In the last 6 months, about how many times have you stayed out at night without permission? (Enter the number of times in the last 6 months you have stayed out at night without permission, followed by the pound sign.) (If you haven't stayed out at night without permission in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
122	10.45	1 - 96	Actual number of times
946	80.99	97	Never in the last 6 months
74	6.34	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J28 "NMBR TIMES STOP/POLICE - 6MONTHS 24" NUM(2.0)**

J28. In the last 6 months, about how many times have you been stopped and questioned by the police? (Enter the number of times in the last 6 months you have been stopped and questioned by the police, followed by the pound sign.) (If you haven't been stopped and questioned by the police in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
112	9.59	1 - 96	Actual number of times
961	82.28	97	Never in the last 6 months
69	5.91	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J29 "NUMBER TIMES ARRESTED - 6MONTHS 24" NUM(2.0)**

J29. In the last 6 months, about how many times have you been arrested by the police? (Enter the number of times in the last 6 months you have been arrested by the police, followed by the pound sign.) (If you haven't been arrested by the police in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
40	3.42	1 - 96	Actual number of times
1,030	88.18	97	Never in the last 6 months
72	6.16	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J30 "NMBR TIMES WEAPON/SCHOOL - 6MNTHS 24" NUM(2.0)**

J30. In the last 6 months, about how many times have you carried a weapon at school? (Enter the number of times in the last 6 months you have carried a weapon at school, followed by the pound sign.) (If you haven't carried a weapon at school in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
38	3.25	1 - 96	Actual number of times
1,020	87.33	97	Never in the last 6 months
84	7.19	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J31 "NMBR TIMES ALCL/DRGS/SCHL - 6MNTH 24" NUM(2.0)**

J31. In the last 6 months, about how many times have you brought alcohol or drugs to school? (Enter the number of times in the last 6 months you have brought alcohol or drugs to school, followed by the pound sign.) (If you haven't brought alcohol or drugs to school in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
40	3.42	1 - 96	Actual number of times
1,017	87.07	97	Never in the last 6 months
85	7.28	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J32 "NMBR TIMES DAMAGE SCHL - 6MONTHS 24" NUM(2.0)**

J32. In the last 6 months, about how many times have you damaged school property on purpose? (Enter the number of times in the last 6 months you have damaged school property on purpose, followed by the pound sign.) (If you haven't damaged school property on purpose in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
70	5.99	1 - 96	Actual number of times
1,005	86.04	97	Never in the last 6 months
67	5.74	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J33 "NMBR TIMES PARENTS/SCHL - 6MONTHS 24" NUM(2.0)**

J33. In the last 6 months, about how many times have your parents had to come to your school because of something you did wrong? (Enter the number of times in the last 6 months your parents had to come to your school because of something you did wrong, followed by the pound sign.) (If your parents haven't had to come to your school because of something you did wrong in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
118	10.10	1 - 96	Actual number of times
953	81.59	97	Never in the last 6 months
71	6.08	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J34 "NMBR TIMES SKIP SCHOOL - 6MONTHS 24" NUM(2.0)**

J34. In the last 6 months, about how many times have you skipped a day of school without permission? (Enter the number of times in the last 6 months you skipped a day of school without permission, followed by the pound sign.) (If you haven't skipped a day of school without permission in the past 6 months, enter zero followed by the pound sign.)

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
126	10.79	1 - 96	Actual number of times
946	80.99	97	Never in the last 6 months
70	5.99	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J35 "EVER TRIED CIGARETTES 24" NUM(1.0)**

J35. Some people your age have experimented with cigarette smoking, drinking alcohol and drug use. Have you ever tried cigarette smoking, even just 1 or 2 puffs?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
103	8.82	1	Yes
1,016	86.99	5	No
23	1.97	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J36 "EVER SMOKED CIGARETTES REGULARLY 24" NUM(1.0)**

J36. Have you ever smoked cigarettes regularly, that is, at least 1 cigarette everyday for 30 days?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
10	.86	1	Yes
92	7.88	5	No
1	.09	9	DK; NA; refused
1,065	91.18	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has not tried cigarette smoking (C24J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C24J35=9)

**C24J37 "HOW OLD SMOKE REGULARLY 24" NUM(2.0)**

J37. How old were you when you first started smoking cigarettes regularly (at least 1 cigarette every day for 30 days)? Enter your age when you first started smoking cigarettes regularly, followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
8	.68	8 - 18	Actual age
2	.17	99	DK; NA; refused
1,158	99.14	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has not tried cigarette smoking (C24J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C24J35=9); has not smoked cigarettes regularly (C24J36=5); DK, NA, or RF whether smoked cigarettes regularly (C24J36=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J38 "HOW MANY DAYS SMOKE - 30DAYS 24" NUM(2.0)**

J38. During the past 30 days, on how many days did you smoke cigarettes? Enter the number of days you smoked cigarettes in the past 30 days, followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
7	.60	1 - 30	Actual number of days
1	.09	97	Less than one cigarette
2	.17	99	DK; NA; refused
1,158	99.14	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has not tried cigarette smoking (C24J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C24J35=9); has not smoked cigarettes regularly (C24J36=5); DK, NA, or RF whether smoked cigarettes regularly (C24J36=9)

**C24J39 "TRIED TO QUIT SMOKING - 6MONTHS 24" NUM(1.0)**

J39. During the past 6 months, have you tried to quit smoking cigarettes?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
9	.77	1	Yes
1	.09	5	No
-	-	9	DK; NA; refused
1,158	99.14	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has not tried cigarette smoking (C24J35=5); DK, NA, or RF whether has ever tried cigarette smoking (C24J35=9); has not smoked cigarettes regularly (C24J36=5); DK, NA, or RF whether smoked cigarettes regularly (C24J36=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J40 "HOW MANY FRIENDS SMOKE - 3FRIENDS 24" NUM(1.0)**

J40. Of your 3 best friends, how many smoke at least 1 cigarette a day? Enter the number of your (3 best) friends who smoke at least 1 cigarette a day, followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
86	7.36	1 - 3	Actual number of friends
1,005	86.04	7	No friends
51	4.37	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J41 "EVER TRIED CHEWING TOBACCO 24" NUM(1.0)**

J41. Have you ever tried chewing tobacco, such as Redman, Levi Garrett, or Beechnut, snuff, such as Skoal, Skoal Bandits, or Copenhagen, or snus, such as Camel Snus, Marlboro Snus, or Skoal Snus?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
17	1.46	1	Yes
1,101	94.26	5	No
24	2.05	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J42 "HOW MANY DAYS CHEW TOBAC - 30DAYS 24" NUM(2.0)**

J42. During the past 30 days, on how many days did you use chewing tobacco, snuff, or snus? Enter the number of days in past 30 days you used chewing tobacco (such as Skoal, Skoal Bandits, or Copenhagen) or snus (such as Camel Snus, Marlboro Snus, or Skoal Snus), followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
4	.34	1 - 30	Actual number of days
11	.94	97	Never in the past 30 days
2	.17	99	DK; NA; refused
1,151	98.54	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has never tried chewing tobacco, snuff, or snus (C24J41=5); DK, NA, or RF whether ever tried chewing tobacco, snuff, or snus (C24J41=9)

**C24J42A "EVER TRIED E-CIGARETTES 24" NUM(1.0)**

J42A. To "vape" is to use a device such as a vape-pen, an e-cigarette, or e-vaporizer to inhale a mist or vapor into the lungs. Brand names for vaping devices include JUUL, Vuse, and MarkTen. Have you ever vaped?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
191	16.35	1	Yes
929	79.54	5	No
22	1.88	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J42B "HOW MANY DAYS E-CIGS- 30DAYS 24" NUM(2.0)**

J42B. During the past 30 days, on how many days did you vape? Enter the number of days in the past 30 days you vaped [READING 2+: using a device such as a JUUL or Vusel], followed by the hash sign. If you did not vape in the past 30 days, enter zero followed by the hash sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
79	6.76	1 - 30	Actual number of days
105	8.99	97	Never in the past 30 days
7	.60	99	DK; NA; refused
977	83.65	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has never used electronic cigarettes or e-cigarettes (C24J42A=5); DK, NA, or RF whether ever used electronic cigarettes or e-cigarettes (C24J42A=9)

**C24J42B1 "HOW MANY DAYS VAPE NICOTINE 24" NUM(2.0)**

J42B1. During the past 30 days, on how many days did you vape nicotine? Enter the number of days in the past 30 days you vaped nicotine, followed by the pound sign. If you did not vape nicotine in the past 30 days, enter zero followed by the hash sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
62	5.31	1 - 30	Actual number of days
-	-	97	Never in the past 30 days
8	.68	99	DK; NA; refused
1,098	94.01	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has never used electronic cigarettes or e-cigarettes (C24J42A=5); DK, NA, or RF whether ever used electronic cigarettes or e-cigarettes (C24J42A=9); did not vape in the past 30 days (C24J42B=97); DK, NA, or RF whether vaped in the past 30 days (C24J42B=99)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J42B2 "HOW MANY DAYS VAPE MAJIJUANA 24"**

**NUM(2.0)**

J42B2. During the past 30 days, on how many days did you vape marijuana? Enter the number of days in the past 30 days you vaped marijuana, followed by the pound sign. If you did not vape marijuana in the past 30 days, enter zero followed by the hash sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
33	2.83	1 - 30	Actual number of days
-	-	97	Never in the past 30 days
13	1.11	99	DK; NA; refused
1,122	96.06	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); has never used electronic cigarettes or e-cigarettes (C24J42A=5); DK, NA, or RF whether ever used electronic cigarettes or e-cigarettes (C24J42A=9); did not vape in the past 30 days (C24J42B=97); DK, NA, or RF whether vaped in the past 30 days (C24J42B=99)

**C24J43 "EVER HAD ALCOHOL 24"**

**NUM(1.0)**

J43. Have you ever had a drink of alcohol, including beer, wine, or liquor - not just a sip or a taste of someone else's drink?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
253	21.66	1	Yes
863	73.89	5	No
26	2.23	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J44 "EVER DRINK ALCOHOL W/O ADULTS 24" NUM(1.0)**

J44. Do you ever drink alcohol, including beer, wine or liquor when you are not with your parents or other adults in your family?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
122	10.45	1	Yes
131	11.22	5	No
-	-	9	DK; NA; refused
915	78.34	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); never had a drink of alcohol (C24J43=5); DK, NA, or RF whether ever had a drink of alcohol (C24G43=9)

**C24J45 "HOW OLD DRINK ALCOHOL W/O ADULTS 24" NUM(2.0)**

J45. Think about the first time that you had an alcoholic drink when you were not with your parents or other adults in your family. How old were you then? Enter your age when you first had an alcoholic drink without your parents or other adults, followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
119	10.19	8 - 18	Actual age
3	.26	99	DK; NA; refused
1,046	89.55	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); never had a drink of alcohol (C24J43=5); DK, NA, or RF whether ever had a drink of alcohol (C24G43=9); never drinks alcohol when she/he is not with parents or other adults in family (C24J44=5); DK, NA, or RF whether drinks alcohol when she/he is not with parents or other adults in family (C24J44=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J46 "HOW OFTEN DRINK ALCHOL - PAST YR 24" NUM(1.0)**

J46. During the past year, how often did you drink alcohol?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
1	.09	1	Three or more days a week
6	.51	2	1 or 2 days a week
27	2.31	3	2 or 3 days a month
26	2.23	4	About once a month
122	10.45	5	A few days in the past year
70	5.99	6	Never in the past year
1	.09	9	DK; NA; refused
915	78.34	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); never had a drink of alcohol (C24J43=5); DK, NA, or RF whether ever had a drink of alcohol (C24G43=9)

**C24J47 "HOW MNV DRINKS USU HAVE - PAST YR 24" NUM(2.0)**

J47. Think of all the times you have had a drink during the past year. A "drink" is a glass of wine, a can of beer, a bottle of a flavored alcoholic beverage like Smirnoff Ice or Mike's Hard Lemonade, a shot glass of liquor, or a mixed drink. In the past year, how many drinks did you usually have each time you had a drink? Enter the number of drinks you had, each time you had a drink, during the past year, followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
172	14.73	1 - 50	Actual number of drinks
10	.86	99	DK; NA; refused
986	84.42	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); never had a drink of alcohol (C24J43=5); DK, NA, or RF whether ever had a drink of alcohol (C24G43=9); has not drank alcohol in the past year (C24J46=6); DK, NA, or RF whether drank alcohol in the past year (C24J46=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J49 "HOW OFTEN 5+ DRINKS - PAST YR 24" NUM(1.0)**

J49. In the past year, on how many days did you drink five or more drinks in a row?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	Three or more days a week
3	.26	2	1 or 2 days a week
15	1.28	3	2 or 3 days a month
15	1.28	4	About once a month
37	3.17	5	A few days in the past year
112	9.59	6	Never in the past year
-	-	9	DK; NA; refused
986	84.42	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5); never had a drink of alcohol (C24J43=5); DK, NA, or RF whether ever had a drink of alcohol (C24G43=9); has not drank alcohol in the past year (C24J46=6); DK, NA, or RF whether drank alcohol in the past year (C24J46=9); has not gotten drunk or "very, very high" on alcohol in the past year (C24J48=5); DK, NA, or RF whether has gotten drunk or "very, very high" on alcohol in the past year (C24J48=9)

**C24J50 "HOW OFTEN 5+ DRINKS - 30DAYS 24" NUM(2.0)**

J50. In the past 30 days, how often did you drink five or more drinks in a row?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
31	2.65	1 - 30	Number of times
36	3.08	97	Never drank this amount in the past 30 days
3	.26	99	DK; NA; refused

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1,098 94.01 0 Inap.: child age 12-18 who did not do Section J (C24IVR=5); never had a drink of alcohol (C24J43=5); DK, NA, or RF whether ever had a drink of alcohol (C24G43=9); has not drank alcohol in the past year (C24J46=6); DK, NA, or RF whether drank alcohol in the past year (C24J46=9); has not gotten drunk or "very, very high" on alcohol in the past year (C24J48=5); DK, NA, or RF whether has gotten drunk or "very, very high" on alcohol in the past year (C24J48=9); has not drank five or more drinks in a row in the past year (C24J49=5); DK, NA, or RF whether drank five or more drinks in a row in the past year (C24J49=9)

**C24J52 "HOW MANY FRIENDS DRINK - 3FRIENDS 24" NUM(1.0)**

J52. Of your 3 best friends, how many drink alcohol at least once a month? Enter the number of your (3 best) friends who drink alcohol at least once a month, followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
251	21.49	1 - 3	Actual number of friends
856	73.29	7	No friends
35	3.00	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J53 "HOW MN Y TIMES DRINK/DRIVE - 6MNTH 24" NUM(2.0)**

J53. How many times in the last 6 months did you drive when you were drunk or high on drugs? Enter the number of times in the last 6 months you drove when you were drunk or high on drugs, followed by the pound sign. If you didn't drive when you were drunk or high on drugs in the past 6 months, enter zero followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
36	3.08	1 - 96	Actual number of times
1,047	89.64	97	Never in the last 6 months
59	5.05	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J54 "HOW MNY TIMES RIDE/DRINK - 6MNTHS 24" NUM(2.0)**

J54. How many times in the last 6 months did you ride with a driver who had too much to drink or was high on drugs? Enter the number of times in the last 6 months you rode with a driver who was drunk or high on drugs, followed by the pound sign. If in the past 6 months you didn't ride with a driver who was drunk or high on drugs, enter zero followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
63	5.39	1 - 96	Actual number of times
1,019	87.24	97	Never in the last 6 months
60	5.14	99	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J55 "ALCOHOL AVAILABLE AT HOME 24" NUM(1.0)**

J55. Is alcohol easily available to you in your home?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
275	23.54	1	Yes
837	71.66	5	No
30	2.57	9	DK; NA; refused
26	2.23	0	Inap.: child age 12-18 who did not do Section J (C24IVR=5)

**C24J56 "IVR EVER TRIED MARIJUANA 24" NUM(1.0)**

J56. [IVR ONLY] Have you ever tried marijuana?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
33	2.83	1	Yes

Child Development Supplement: 2024 Child Reports of Sensitive Information File

180 15.41 5 No  
 25 2.14 9 DK; NA; refused  
 930 79.62 0 Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5)

**C24J57 "IVR HOW OLD TRIED MARIJUANA 24" NUM(2.0)**  
 J57. [IVR ONLY] How old were you when you tried marijuana for the first time?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
32	2.74	8 - 18	Actual age
1	.09	99	DK; NA; refused
1,135	97.17	0	Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); never tried marijuana (C24J56=5); DK, NA, or RF whether ever tried marijuana (C24J56=9)

**C24J58 "IVR HOW MNY TIMES MARIJUANA - PAST YR 24" NUM(3.0)**  
 J58. [IVR ONLY] Over the past year, how many times did you use marijuana?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
17	1.46	1 - 365	Actual number of times
3	.26	999	DK; NA; refused
1,148	98.29	0	Inap.: no times in the past 12 months; child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); never tried marijuana (C24J56=5); DK, NA, or RF whether ever tried marijuana (C24J56=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J59 "IVR HOW MANY TIMES MARIJUANA - 30DAYS 24" NUM(2.0)**

J59. [IVR ONLY] During the past 30 days, how many times did you use marijuana? Enter the number of times in the past year that you used marijuana, followed by the pound sign. If you didn't use marijuana in the past year, enter zero followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
11	.94	1 - 30	Actual number of times
1	.09	99	DK; NA; refused
1,156	98.97	0	Inap.: no times in the past 30 days; child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); never tried marijuana (C24J56=5); DK, NA, or RF whether ever tried marijuana (C24J56=9); did not use marijuana in the past year (C24J58=0); DK, NA, or RF whether used marijuana in the past year (C24J58=9)

**C24J60 "IVR EVER USED INHALANTS 24" NUM(1.0)**

J60. [IVR ONLY] Have you ever used inhalants to get high? Inhalants include glues, aerosols, and solvents.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
3	.26	1	Yes
210	17.98	5	No
25	2.14	9	DK; NA; refused
930	79.62	0	Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J60A "IVR HOW MNY TIMES INHALANTS - PAST YR 24" NUM(3.0)**

J60A. [IVR ONLY] In the past year, how many times have you used inhalants to get high? Enter the number of times in the past year that you used inhalants (such as glue, aerosols, or solvents), followed by the hash sign. If you didn't use inhalants, (such as glue, aerosols, or solvents) in the past year, enter zero followed by the hash sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1 - 365	Actual number of times
-	-	999	DK; NA; refused
1,168	100.00	0	Inap.: no times in the past 12 months; child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); has not used inhalants (C24J60=5); DK, NA, or RF whether ever used inhalants (C24J60=9)

**C24J61 "IVR EVER USED HALLUCINOGENS 24" NUM(1.0)**

J61. [IVR ONLY] Have you ever used hallucinogens? Hallucinogens include LSD, mescaline, peyote, and shrooms.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
6	.51	1	Yes
206	17.64	5	No
26	2.23	9	DK; NA; refused
930	79.62	0	Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J61A "IVR HOW MNY TIMES HALLUCNGNS - PST YR 24" NUM(2.0)**

J61A. [IVR ONLY] In the past year, how many times did you use hallucinogens? Enter the number of times in the past year that you used hallucinogens (such as LSD, mescaline, peyote, or shrooms), followed by the pound sign. If you didn't used hallucinogens (such as LSD, mescaline, peyote, or shrooms) in the past year, enter zero followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
2	.17	1 - 96	Actual number of times
-	-	99	DK; NA; refused
1,166	99.83	0	Inap.: no times in the past 12 months; child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); has not used hallucinogens (C24J61=5); DK, NA, or RF whether ever used hallucinogens (C24J61=9)

**C24J63 "IVR EVER USED AMPHETAMINES 24" NUM(1.0)**

J63. [IVR ONLY] Have you ever used amphetamines without a doctor telling you to take them? Amphetamines include Ritalin, Adderall, and Concerta.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
2	.17	1	Yes
208	17.81	5	No
28	2.40	9	DK; NA; refused
930	79.62	0	Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J63A "IVR HOW MNY TIMES AMPHETAMNE - PST YR 24" NUM(2.0)**

J63A. [IVR ONLY] In the past year, how many times did you use amphetamines without a doctor telling you to take them? Enter the number of times (in the past year that you used amphetamines such as Ritalin, Adderall, or Concerta, without a doctor telling you to take them), followed by the pound sign. In the past year, if you didn't use amphetatimes (such as Ritalin, Adderall, or Concerta, without a doctor telling you to take them), enter zero followed by the pound sign.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
1	.09	1 - 96	Actual number of times
-	-	99	DK; NA; refused
1,167	99.91	0	Inap.: no times in the past 12 months; child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); has not used amphetamines without a doctor telling her/him to take them (C24J63=5); DK, NA, or RF whether ever used amphetamines without a doctor telling her/him to take them (C24J63=9)

**C24J64 "IVR EVER USED TRANQUILIZERS 24" NUM(1.0)**

J64. [IVR ONLY] Have you ever used tranquilizers without a doctor telling you to take them? Tranquilizers include Valium, Xanax, and Klonopin.

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
3	.26	1	Yes
209	17.89	5	No
26	2.23	9	DK; NA; refused
930	79.62	0	Inap.: child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J64A "IVR HOW MNY TIMES TRANQUILZR - PST YR 24" NUM(2.0)**

J64A. [IVR ONLY] In the past year, how many times did you use tranquilizers without a doctor telling you to take them?

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
1	.09	1 - 96	Actual number of times
-	-	99	DK; NA; refused
1,167	99.91	0	Inap.: no times in the past 12 months; child age 12-18 who completed Web version of Section J (C24IVR=2); child age 12-18 who did not do Section J (C24IVR=5); has not used tranquilizers without a doctor telling her/him to take them (C24J64=5); DK, NA, or RF whether ever used tranquilizers without a doctor telling her/him to take them (C24J64=9)

**C24J56AMAR "EVER TRIED MARIJUANA 24" NUM(1.0)**

J56A. [WEB ONLY] Which of these medicines and drugs have you tried in your LIFETIME, either prescribed or not prescribed for you, even if it was only once?--MARIJUANA

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
80	6.85	1	Yes
818	70.03	5	No
6	.51	9	DK; NA; refused
264	22.60	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J56BMAR "HOW OLD TRIED MARIJUANA 24"**

**NUM(2.0)**

J56B. [WEB ONLY] How old were you when you tried this for the FIRST TIME?--MARIJUANA

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
79	6.76	1 - 30	1-30 years old
1	.09	99	DK; NA; refused
1,088	93.15	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AMAR=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AMAR=9)

**C24J56CMAR "FREQ MARIJUANA-LIFETIME 24"**

**NUM(2.0)**

J56C. [WEB ONLY] On how many occasions have you [taken / used] this in your LIFETIME?--MARIJUANA

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
24	2.05	1	1-2 occasions
15	1.28	2	3-5 occasions
8	.68	3	6-9 occasions
7	.60	4	10-19 occasions
4	.34	5	20-39 occasions
20	1.71	6	40 or more occasions
2	.17	9	DK; NA; refused
1,088	93.15	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AMAR=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AMAR=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J56DMAR "FREQ MARIJUANA-PAST YR 24"**

**NUM(2.0)**

J56D. [WEB ONLY] On how many occasions have you [taken / used] this in the PAST 12 MONTHS?--MARIJUANA

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
28	2.40	1	1-2 occasions
13	1.11	2	3-5 occasions
4	.34	3	6-9 occasions
3	.26	4	10-19 occasions
5	.43	5	20-39 occasions
14	1.20	6	40 or more occasions
-	-	9	DK; NA; refused
1,101	94.26	0	Inap.: no times in the last 12 months; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AMAR=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AMAR=9)

**C24J56EMAR "FREQ MARIJUANA-30DAYS 24"**

**NUM(2.0)**

J56E. [WEB ONLY] On how many occasions have you [taken / used] this in the PAST 30 DAYS?--MARIJUANA

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
13	1.11	1	1-2 occasions
3	.26	2	3-5 occasions
1	.09	3	6-9 occasions
5	.43	4	10-19 occasions
7	.60	5	20-39 occasions
2	.17	6	40 or more occasions
2	.17	9	DK; NA; refused

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1,135 97.17 0 Inap.: no times in the last 30 days; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AMAR=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AMAR=9)

**C24J56FMAR "DR TOLD USE MARIJUANA-LIFETIME 24"**

**NUM(1.0)**

J56F. [WEB ONLY] Have you ever [taken / used] this because a doctor TOLD YOU to use them?--MARIJUANA

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
2	.17	1	Yes
78	6.68	5	No
-	-	9	DK; NA; refused
1,088	93.15	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AMAR=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AMAR=9)

**C24J56GMAR "FREQ DR TOLD USE MARIJUANA-PAST YR 24"**

**NUM(2.0)**

J56G. [WEB ONLY] On how many occasions in the PAST 12 MONTHS have you [taken / used] this on your own WITHOUT a doctor telling you to take them?--MARIJUANA

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
-	-	2	3-5 occasions
-	-	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
-	-	6	40 or more occasions
-	-	9	DK; NA; refused

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1,168 100.00 0 Inap.: never in the last 12 months; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AMAR=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AMAR=9);has never used because a doctor TOLD THEM to use them (C24J56FMAR=5); DK, NA, or RF to say whether has ever used because a doctor TOLD THEM to use them (C24J56FMAR=9)

**C24J56HMAR "FREQ DR TOLD USE MARIJUANA-30DAYS 24" NUM(2.0)**  
 J56H. [WEB ONLY] On how many occasions in the PAST 30 DAYS have you [taken / used] this on your own WITHOUT a doctor telling you to take them?--MARIJUANA

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
-	-	1	1-2 occasions		
-	-	2	3-5 occasions		
-	-	3	6-9 occasions		
-	-	4	10-19 occasions		
-	-	5	20-39 occasions		
-	-	6	40 or more occasions		
-	-	9	DK; NA; refused		
1,168	100.00	0	Inap.: never in the last 30 days; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5);has never tried this medicine or drug (C24J56AMAR=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AMAR=9); has never used because a doctor TOLD THEM to use them (C24J56FMAR=5); DK, NA, or RF to say whether has ever used because a doctor TOLD THEM to use them (C24J56FMAR=9)		

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J56AINH "EVER TRIED INHALANTS 24"**

**NUM(1.0)**

J56A. [WEB ONLY] Which of these medicines and drugs have you tried in your LIFETIME, either prescribed or not prescribed for you, even if it was only once?--INHALANTS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
4	.34	1	Yes
894	76.54	5	No
6	.51	9	DK; NA; refused
264	22.60	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5)

**C24J56BINH "HOW OLD TRIED INHALANTS 24"**

**NUM(2.0)**

J56B. [WEB ONLY] How old were you when you tried this for the FIRST TIME?--INHALANTS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
4	.34	1 - 30	1-30 years old
-	-	99	DK; NA; refused
1,164	99.66	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AINH=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AINH=9)

**C24J56CINH "FREQ INHALANTS-LIFETIME 24"**

**NUM(2.0)**

J56C. [WEB ONLY] On how many occasions have you [taken / used] this in your LIFETIME?--INHALANTS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
1	.09	1	1-2 occasions

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1	.09	2	3-5 occasions
1	.09	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
1	.09	6	40 or more occasions
-	-	9	DK; NA; refused
1,164	99.66	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AINH=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AINH=9)

**C24J56DINH "FREQ INHALANTS-PAST YR 24"**

**NUM(2.0)**

J56D. [WEB ONLY] On how many occasions have you [taken / used] this in the PAST 12 MONTHS?--INHALANTS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
2	.17	1	1-2 occasions
-	-	2	3-5 occasions
1	.09	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
-	-	6	40 or more occasions
-	-	9	DK; NA; refused
1,165	99.74	0	Inap.: no times in the last 12 months; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AINH=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AINH=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J56EINH "FREQ INHALANTS-30DAYS 24"**

**NUM(2.0)**

J56E. [WEB ONLY] On how many occasions have you [taken / used] this in the PAST 30 DAYS?--  
INHALANTS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
-	-	2	3-5 occasions
1	.09	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
-	-	6	40 or more occasions
-	-	9	DK; NA; refused
1,167	99.91	0	Inap.: no times in the last 30 days; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AINH=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AINH=9)

**C24J56AHAL "EVER TRIED HALLUCINOGENS 24"**

**NUM(1.0)**

J56A. [WEB ONLY] Which of these medicines and drugs have you tried in your LIFETIME, either prescribed or not prescribed for you, even if it was only once?--HALLUCINOGENS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
11	.94	1	Yes
887	75.94	5	No
6	.51	9	DK; NA; refused
264	22.60	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J56BHAL "HOW OLD TRIED HALLUCINOGENS 24"**

**NUM(2.0)**

J56B. [WEB ONLY] How old were you when you tried this for the FIRST TIME?--HALLUCINOGENS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
11	.94	1 - 30	1-30 years old
-	-	99	DK; NA; refused
1,157	99.06	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AHAL=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AHAL=9)

**C24J56CHAL "FREQ HALLUCINOGENS-LIFETIME 24"**

**NUM(2.0)**

J56C. [WEB ONLY] On how many occasions have you [taken / used] this in your LIFETIME?--HALLUCINOGENS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
4	.34	1	1-2 occasions
3	.26	2	3-5 occasions
1	.09	3	6-9 occasions
-	-	4	10-19 occasions
1	.09	5	20-39 occasions
2	.17	6	40 or more occasions
-	-	9	DK; NA; refused
1,157	99.06	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AHAL=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AHAL=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J56DHAL "FREQ HALLUCINOGENS-PAST YR 24"**

**NUM(2.0)**

J56D. [WEB ONLY] On how many occasions have you [taken / used] this in the PAST 12 MONTHS?--HALLUCINOGENS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
5	.43	1	1-2 occasions
1	.09	2	3-5 occasions
-	-	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
2	.17	6	40 or more occasions
-	-	9	DK; NA; refused
1,160	99.32	0	Inap.: no times in the last 12 months; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AHAL=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AHAL=9)

**C24J56EHAL "FREQ HALLUCINOGENS-30DAYS 24"**

**NUM(2.0)**

J56E. [WEB ONLY] On how many occasions have you [taken / used] this in the PAST 30 DAYS?--HALLUCINOGENS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
-	-	2	3-5 occasions
-	-	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
2	.17	6	40 or more occasions
-	-	9	DK; NA; refused

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1,166 99.83 0 Inap.: no times in the last 30 days; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AHAL=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AHAL=9)

**C24J56AAMP "EVER TRIED AMPHETAMINES 24"**

**NUM(1.0)**

J56A. [WEB ONLY] Which of these medicines and drugs have you tried in your LIFETIME, either prescribed or not prescribed for you, even if it was only once?--AMPHETAMINES

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
8	.68		1	Yes	
890	76.20		5	No	
6	.51		9	DK; NA; refused	
264	22.60		0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5)	

**C24J56BAMP "HOW OLD TRIED AMPHETAMINES 24"**

**NUM(2.0)**

J56B. [WEB ONLY] How old were you when you tried this for the FIRST TIME?--AMPHETAMINES

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
8	.68	1 - 30	1-30	years old	
-	-		99	DK; NA; refused	
1,160	99.32		0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AAMP=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AAMP=9)	

Child Development Supplement: 2024 Child Reports of Sensitive Information File

**C24J56CAMP "FREQ AMPHETAMINES-LIFETIME 24"**

**NUM(2.0)**

J56C. [WEB ONLY] On how many occasions have you [taken / used] this in your LIFETIME?-- AMPHETAMINES

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
-	-	2	3-5 occasions
1	.09	3	6-9 occasions
2	.17	4	10-19 occasions
-	-	5	20-39 occasions
5	.43	6	40 or more occasions
-	-	9	DK; NA; refused
1,160	99.32	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AAMP=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AAMP=9)

**C24J56DAMP "FREQ AMPHETAMINES-PAST YR 24"**

**NUM(2.0)**

J56D. [WEB ONLY] On how many occasions have you [taken / used] this in the PAST 12 MONTHS?-- AMPHETAMINES

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
-	-	2	3-5 occasions
-	-	3	6-9 occasions
1	.09	4	10-19 occasions
-	-	5	20-39 occasions
4	.34	6	40 or more occasions
-	-	9	DK; NA; refused

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1,163 99.57 0 Inap.: no times in the last 12 months; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AAMP=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AAMP=9)

**C24J56EAMP "FREQ AMPHETAMINES-30DAYS 24"**

**NUM(2.0)**

J56E. [WEB ONLY] On how many occasions have you [taken / used] this in the PAST 30 DAYS?-- AMPHETAMINES

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
-	-	1	1-2	occasions	
-	-	2	3-5	occasions	
-	-	3	6-9	occasions	
1	.09	4	10-19	occasions	
3	.26	5	20-39	occasions	
-	-	6	40 or more	occasions	
-	-	9	DK; NA; refused		

1,164 99.66 0 Inap.: no times in the last 30 days; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AAMP=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AAMP=9)

**C24J56FAMP "DR TOLD USE AMPHETAMINES-LIFETIME 24"**

**NUM(1.0)**

J56F. [WEB ONLY] Have you ever [taken / used] this because a doctor TOLD YOU to use them?-- AMPHETAMINES

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code	Value/Range	Text
6	.51	1	Yes		
2	.17	5	No		
-	-	9	DK; NA; refused		

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1,160 99.32 0 Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AAMP=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AAMP=9)

**C24J56GAMP "FREQ DR TOLD USE AMPHETAMINES-PAST YR 24" NUM(2.0)**

J56G. [WEB ONLY] On how many occasions in the PAST 12 MONTHS have you [taken / used] this on your own WITHOUT a doctor telling you to take them?--AMPHETAMINES

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
-	-	2	3-5 occasions
-	-	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
-	-	6	40 or more occasions
-	-	9	DK; NA; refused

1,168 100.00 0 Inap.: never in the last 12 months; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AAMP=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AAMP=9); has never used because a doctor TOLD THEM to use them (C24J56FAMP=5); DK, NA, or RF to say whether has ever used because a doctor TOLD THEM to use them (C24J56FAMP=9)

**C24J56HAMP "FREQ DR TOLD USE AMPHETAMINES-30DAYS 24" NUM(2.0)**

J56H. [WEB ONLY] On how many occasions in the PAST 30 DAYS have you [taken / used] this on your own WITHOUT a doctor telling you to take them?--AMPHETAMINES

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
-	-	2	3-5 occasions

Child Development Supplement: 2024 Child Reports of Sensitive Information File

-	-	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
-	-	6	40 or more occasions
-	-	9	DK; NA; refused
1,168	100.00	0	Inap.: never in the last 30 days; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56AAMP=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56AAMP=9); has never used because a doctor TOLD THEM to use them (C24J56FAMP=5); DK, NA, or RF to say whether has ever used because a doctor TOLD THEM to use them (C24J56FAMP=9)

**C24J56ATRA "EVER TRIED TRANQUILIZERS 24"**

**NUM(1.0)**

J56A. [WEB ONLY] Which of these medicines and drugs have you tried in your LIFETIME, either prescribed or not prescribed for you, even if it was only once?--TRANQUILIZERS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
3	.26	1	Yes
895	76.63	5	No
6	.51	9	DK; NA; refused
264	22.60	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5)

**C24J56BTRA "HOW OLD TRIED TRANQUILIZERS 24"**

**NUM(2.0)**

J56B. [WEB ONLY] How old were you when you tried this for the FIRST TIME?--TRANQUILIZERS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
2	.17	1 - 30	1-30 years old
1	.09	99	DK; NA; refused

Child Development Supplement: 2024 Child Reports of Sensitive Information File

1,165 99.74 0 Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56ATRA=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56ATRA=9)

**C24J56CTRA "FREQ TRANQUILIZERS-LIFETIME 24"**

**NUM(2.0)**

J56C. [WEB ONLY] On how many occasions have you [taken / used] this in your LIFETIME?--TRANQUILIZERS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
1	.09	1	1-2 occasions
-	-	2	3-5 occasions
-	-	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
1	.09	6	40 or more occasions
1	.09	9	DK; NA; refused
1,165	99.74	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56ATRA=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56ATRA=9)

**C24J56DTRA "FREQ TRANQUILIZERS-PAST YR 24"**

**NUM(2.0)**

J56D. [WEB ONLY] On how many occasions have you [taken / used] this in the PAST 12 MONTHS?--TRANQUILIZERS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
-	-	2	3-5 occasions
-	-	3	6-9 occasions
-	-	4	10-19 occasions
1	.09	5	20-39 occasions

Child Development Supplement: 2024 Child Reports of Sensitive Information File

-	-	6	40 or more occasions
1	.09	9	DK; NA; refused
1,166	99.83	0	Inap.: no times in the last 12 months; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56ATRA=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56ATRA=9)

**C24J56ETRA "FREQ TRANQUILIZERS-30DAYS 24"**

**NUM(2.0)**

J56E. [WEB ONLY] On how many occasions have you [taken / used] this in the PAST 30 DAYS?--TRANQUILIZERS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
1	.09	2	3-5 occasions
-	-	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
-	-	6	40 or more occasions
1	.09	9	DK; NA; refused
1,166	99.83	0	Inap.: no times in the last 30 days; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56ATRA=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56ATRA=9)

**C24J56FTRA "DR TOLD USE TRANQUILIZERS-LIFETIME 24"**

**NUM(1.0)**

J56F. [WEB ONLY] Have you ever [taken / used] this because a doctor TOLD YOU to use them?--TRANQUILIZERS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
2	.17	1	Yes

Child Development Supplement: 2024 Child Reports of Sensitive Information File

-	-	5	No
1	.09	9	DK; NA; refused
1,165	99.74	0	Inap.: child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56ATRA=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56ATRA=9)

**C24J56GTRA "FREQ DR TOLD USE TRANQUILIZERS-PAST YR 24"**

**NUM(2.0)**

J56G. [WEB ONLY] On how many occasions in the PAST 12 MONTHS have you [taken / used] this on your own WITHOUT a doctor telling you to take them?--TRANQUILIZERS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
-	-	2	3-5 occasions
-	-	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
-	-	6	40 or more occasions
-	-	9	DK; NA; refused
1,168	100.00	0	Inap.: never in the last 12 months; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56ATRA=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56ATRA=9); has never used because a doctor TOLD THEM to use them (C24J56FTRA=5); DK, NA, or RF to say whether has ever used because a doctor TOLD THEM to use them (C24J56FTRA=9)

Child Development Supplement: 2024 Child Reports of Sensitive Information File

C24J56HTRA "FREQ DR TOLD USE TRANQUILIZERS-30DAYS 24"

NUM(2.0)

J56H. [WEB ONLY] On how many occasions in the PAST 30 DAYS have you [taken / used] this on your own WITHOUT a doctor telling you to take them?--TRANQUILIZERS

*This variable is suppressed (filled with zeroes) in the public release file to protect the anonymity of respondents. Child Reports of Sensitive Information data are available to qualified users upon approval from the PSID. For more information, please see <https://simba.isr.umich.edu/restricted/ChildReportSensitive.aspx> for more information on these variables and how to apply for access.*

Count	%	Value/Range	Code Value/Range Text
-	-	1	1-2 occasions
-	-	2	3-5 occasions
-	-	3	6-9 occasions
-	-	4	10-19 occasions
-	-	5	20-39 occasions
-	-	6	40 or more occasions
-	-	9	DK; NA; refused
1,168	100.00	0	Inap.: never in the last 30 days; child age 12-18 who completed IVR version of Section J (C24IVR=1); child age 12-18 who did not do Section J (C24IVR=5); has never tried this medicine or drug (C24J56ATRA=5); DK, NA, or RF to say if has ever tried this medicine or drug (C24J56ATRA=9); has never used because a doctor TOLD THEM to use them (C24J56FTRA=5); DK, NA, or RF to say whether has ever used because a doctor TOLD THEM to use them (C24J56FTRA=9)